


D6 / G7 - AGR


BSPP Außengewinde parallel 60°



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
060050	-0302	NA	03	5,0	3/16"	02	1/8-28	20,3	14,0
060051	-0402	NA	04	6,0	1/4"	02	1/8-28	20,8	14,0
711700	-0404	NA	04	6,0	1/4"	04	1/4-19	26,3	19,0
711709	-0406	NA	04	6,0	1/4"	06	3/8-19	27,8	22,0
D6-0408	-0408	NA	04	6,0	1/4"	08	1/2-14	31,3	27,0
D6-0504	-0504	NA	05	8,0	5/16"	04	1/4-19	26,3	19,0
710064	-0506	NA	05	8,0	5/16"	06	3/8-19	27,8	22,0
D6-0508	0508	NA	05	8,0	5/16"	08	1/2-14	31,3	27,0
060055	0604	NA	06	10,0	3/8"	04	1/4-19	26,3	19,0
711701	0606	NA	06	10,0	3/8"	06	3/8-19	27,8	22,0
711702	0608	NA	06	10,0	3/8"	08	1/2-14	31,3	27,0
D6-0806	0806	NA	08	13,0	1/2"	06	3/8-19	28,6	22,0
711703	0808	NA	08	13,0	1/2"	08	1/2-14	32,1	27,0
D6-0810	0810	NA	08	13,0	1/2"	10	5/8-14	34,1	30,0
060061	0812	NA	08	13,0	1/2"	12	3/4-14	36,1	32,0
060062	1008	NA	10	16,0	5/8"	08	1/2-14	32,1	27,0
711704	1010	NA	10	16,0	5/8"	10	5/8-14	34,1	30,0
711708	1012	NA	10	16,0	5/8"	12	3/4-14	36,1	32,0
711705	1212	NA	12	19,0	3/4"	12	3/4-14	36,6	32,0
711707	1216	NA	12	19,0	3/4"	16	1-11	41,6	41,0
711706	1616	NA	16	25,0	1"	16	1-11	42,4	41,0
D6-1620	1620	NA	16	25,0	1"	20	1 1/4-11	46,4	50,0
710279	2020	NA	20	32,0	1 1/4"	20	1 1/4-11	48,0	50,0
060069	2424	NA	24	38,0	1 1/2"	24	1 1/2-11	51,0	55,0

D6F - AGR FD


BSPP Außengewinde flachdichtend



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
D6F-0404	-0404	NA	04	6,0	1/4"	04	1/4-19	26,3	19,0
D6F-0606	-0606	NA	06	10,0	3/8"	06	3/8-19	27,8	22,0
D6F-0608	-0608	NA	06	10,0	3/8"	08	1/2-14	31,3	27,0
D6F-0808	-0808	NA	08	13,0	1/2"	08	1/2-14	32,1	27,0

G7K - AGR K


BSPT Außengewinde



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
G7K-0302	-0302	NA	03	5,0	3/16"	02	1/8-28	20,8	12,0
G7K-0402	-0402	NA	04	6,0	1/4"	02	1/8-28	21,3	12,0
G7K-0404	-0404	NA	04	6,0	1/4"	04	1/4-19	26,8	17,0
G7K-0406	-0406	NA	04	6,0	1/4"	06	3/8-19	27,8	19,0
G7K-0504	-0504	NA	05	8,0	5/16"	04	1/4-19	26,8	17,0
G7K-0506	-0506	NA	05	8,0	5/16"	06	3/8-19	27,8	19,0
G7K-0604	-0604	NA	06	10,0	3/8"	04	1/4-19	26,8	17,0
G7K-0606	-0606	NA	06	10,0	3/8"	06	3/8-19	27,8	19,0
G7K-0608	-0608	NA	06	10,0	3/8"	08	1/2-14	32,3	22,0
G7K-0806	-0806	NA	08	13,0	1/2"	06	3/8-19	28,6	19,0
G7K-0808	-0808	NA	08	13,0	1/2"	08	1/2-14	33,1	22,0
G7K-1012	-1012	NA	10	16,0	5/8"	12	3/4-14	34,1	27,0
G7K-1212	-1212	NA	12	19,0	3/4"	12	3/4-14	34,6	27,0
G7K-1216	-1216	NA	12	19,0	3/4"	16	1-11	43,6	36,0
G7K-1612	-1612	NA	16	25,0	1"	12	3/4-14	37,4	32,0
G7K-1616	-1616	NA	16	25,0	1"	16	1-11	44,4	36,0
G7K-2020	-2020	NA	20	32,0	1 1/4"	20	1 1/4-11	49,0	46,0
G7K-2424	-2424	NA	24	38,0	1 1/2"	24	1 1/2-11	50,5	50,0
G7K-3232	-3232	NA	32	51,0	2"	32	2-11	54,2	65,0

A5 - DKOR


BSPP Dichtkopf 60° Konus mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm
A5-0302	-0302	CR	03	5,0	3/16"	02	1/8-28	14,3	14,0
A5-0304	-0304	SN	03	5,0	3/16"	04	1/4-19	20,3	19,0
A5-0402	-0402	CR	04	6,0	1/4"	02	1/8-28	14,7	14,0
A5-0404	-0404	SN	04	6,0	1/4"	04	1/4-19	20,8	19,0
A5-0406	-0406	SN	04	6,0	1/4"	06	3/8-19	23,3	22,0
A5-0504	-0504	CR	05	8,0	5/16"	04	1/4-19	17,3	19,0
A5-0506	-0506	SN	05	8,0	5/16"	06	3/8-19	23,3	22,0
A5-0604	-0604	CR	06	10,0	3/8"	04	1/4-19	17,3	19,0
A5-0606	-0606	SN	06	10,0	3/8"	06	3/8-19	23,3	22,0
A5-0608	-0608	SN	06	10,0	3/8"	08	1/2-14	24,3	27,0
A5-0806	-0806	CR	08	13,0	1/2"	06	3/8-19	18,6	22,0
A5-0808	-0808	SN	08	13,0	1/2"	08	1/2-14	25,1	27,0
A5-0810	-0810	SN	08	13,0	1/2"	10	5/8-14	28,4	27,0
A5-0812	-0812	SN	08	13,0	1/2"	12	3/4-14	29,0	32,0
A5-1010	-1010	CR	10	16,0	5/8"	10	5/8-14	17,1	27,0
A5-1012	-1012	SN	10	16,0	5/8"	12	3/4-14	29,0	32,0
A5-1212	-1212	CR	12	19,0	3/4"	12	3/4-14	23,9	32,0
A5-1216	-1216	SN	12	19,0	3/4"	16	1-11	34,0	38,0
A5-1616	-1616	CR	16	25,0	1"	16	1-11	23,9	38,0
A5-1620	-1620	SN	16	25,0	1"	20	1 1/4-11	39,4	50,0
A5-2020	-2020	TN	20	32,0	1 1/4"	20	1 1/4-11	32,0	50,0
A5-2024	-2024	SN	20	32,0	1 1/4"	24	1 1/2-11	41,9	55,0
A5-2424	-2424	TN	24	38,0	1 1/2"	24	1 1/2-11	33,8	55,0
A5-2432	-2432	SN	24	38,0	1 1/2"	32	2-11	47,0	70,0
A5-3232	-3232	TN	32	51,0	2"	32	2-11	34,0	70,0

A7 - DKOR 45


45° BSPP Dichtkopf 60° Konus mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
A7-0404	-0404	SN	04	6,0	1/4"	04	1/4-19	45,5	15,0	19,0
A7-0406	-0406	SN	04	6,0	1/4"	06	3/8-19	41,5	17,5	22,0
A7-0504	-0504	CR	05	8,0	5/16"	04	1/4-19	19,0	17,5	19,0
A7-0506	-0506	SN	05	8,0	5/16"	06	3/8-19	45,1	18,5	22,0
A7-0606	-0606	SN	06	10,0	3/8"	06	3/8-19	49,9	20,5	22,0
A7-0608	-0608	SN	06	10,0	3/8"	08	1/2-14	45,7	21,0	27,0
A7-0808	-0808	SN	08	13,0	1/2"	08	1/2-14	55,0	21,0	27,0
A7-0810	-0810	SN	08	13,0	1/2"	10	5/8-14	57,2	23,0	27,0
A7-0812	-0812	SN	08	13,0	1/2"	12	3/4-14	56,7	23,0	32,0
A7-1010	-1010	CR	10	16,0	5/8"	10	5/8-14	64,0	21,5	27,0
A7-1012	-1012	SN	10	16,0	5/8"	12	3/4-14	66,5	22,5	32,0
A7-1212	-1212	CR	12	19,0	3/4"	12	3/4-14	70,0	28,0	32,0
A7-1216	-1216	SN	12	19,0	3/4"	16	1-11	74,6	31,5	38,0
A7-1616	-1616	CR	16	25,0	1"	16	1-11	84,0	34,0	38,0
A7-1620	-1620	SN	16	25,0	1"	20	1 1/4-11	97,0	47,5	50,0
A7-2020	-2020	TN	20	32,0	1 1/4"	20	1 1/4-11	100,8	40,0	50,0
A7-3232	-3232	TN	32	51,0	2"	32	2-11	151,5	60,0	70,0

A8 - DKOR 90


90° BSPP Dichtkopf 60° Konus mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
A8-0302	-0302	CR	03	5,0	3/16"	02	1/8-28	24,0	30,0	14,0
A8-0404	-0404	SN	04	6,0	1/4"	04	1/4-19	29,3	29,0	19,0
A8-0406	-0406	SN	04	6,0	1/4"	06	3/8-19	29,8	31,0	22,0
A8-0506	-0506	SN	05	8,0	5/16"	06	3/8-19	33,2	36,0	22,0
A8-0606	-0606	SN	06	10,0	3/8"	06	3/8-19	34,8	42,0	22,0
A8-0608	-0608	SN	06	10,0	3/8"	08	1/2-14	34,3	35,5	27,0
A8-0806	-0806	CR	08	13,0	1/2"	06	3/8-19	35,3	43,0	22,0
A8-0808	-0808	SN	08	13,0	1/2"	08	1/2-14	35,8	41,0	27,0
A8-0810	-0810	SN	08	13,0	1/2"	10	5/8-14	41,6	43,5	27,0
A8-0812	-0812	SN	08	13,0	1/2"	12	3/4-14	41,8	43,0	32,0
A8-1010	-1010	CR	10	16,0	5/8"	10	5/8-14	47,9	47,0	27,0
A8-1012	-1012	SN	10	16,0	5/8"	12	3/4-14	51,9	49,0	32,0
A8-1212	-1212	CR	12	19,0	3/4"	12	3/4-14	49,1	53,0	32,0
A8-1216	-1216	SN	12	19,0	3/4"	16	1-11	54,1	60,5	38,0
A8-1616	-1616	CR	16	25,0	1"	16	1-11	75,1	69,0	38,0
A8-1620	-1620	SN	16	25,0	1"	20	1 1/4-11	75,1	88,5	50,0
A8-2020	-2020	TN	20	32,0	1 1/4"	20	1 1/4-11	82,3	83,0	50,0
A8-2024	-2024	SN	20	32,0	1 1/4"	24	1 1/2-11	101,0	83,0	55,0
A8-2424	-2424	TN	24	38,0	1 1/2"	24	1 1/2-11	95,7	96,0	55,0
A8-2432	-2432	SN	24	38,0	1 1/2"	32	2-11	107,8	104,0	70,0
A8-3232	-3232	TN	32	51,0	2"	32	2-11	128,5	136,0	70,0

A8K - DKR 90


Kompakt 90° BSPP Dichtkopf 60° Konus



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
A8K-0404	-0404	CR	04	6,0	1/4"	04	1/4-19	16,8	19,5	19,0
A8K-0608	-0608	CR	06	10,0	3/8"	08	1/2-14	21,5	22,5	27,0
A8K-0808	-0808	CR	08	13,0	1/2"	08	1/2-14	22,6	24,5	27,0
A8K-1212	-1212	CR	12	19,0	3/4"	12	3/4-14	26,7	31,0	32,0
A8K-1616	-1616	CR	16	25,0	1"	16	1-11	34,5	27,5	38,0

A5F - DKR FD

BSPP Dichtkopf flachdichtend



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH1
	Dash		Dash	mm	in	Dash Größe			
A5F-0404	-0404	SN	04	6,0	1/4"	04	1/4-19	20,3	19,0
A5F-0606	-0606	SN	06	10,0	3/8"	06	3/8-19	20,3	22,0
A5F-0608	-0608	SN	06	10,0	3/8"	08	1/2-14	20,8	27,0
A5F-0808	-0808	SN	08	13,0	1/2"	08	1/2-14	21,6	27,0
A5F-0812	-0812	SN	08	13,0	1/2"	12	3/4-14	24,6	32,0
A5F-1212	-1212	CR	12	19,0	3/4"	12	3/4-14	18,1	32,0
A5F-1216	-1216	CR	12	19,0	3/4"	16	1-11	20,6	38,0
A5F-1616	-1616	CR	16	25,0	1"	16	1-11	19,9	38,0