


D1 - CEL


metrisches Außengewinde 24° - leichte Reihe DIN 3853



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	CH
	Dash/mm		Dash	mm	in		mm	mm	mm
711117	-0312	NA	03	5,0	3/16"	M12X1.5	6	20,8	14,0
711118	-0412	NA	04	6,0	1/4"	M12X1.5	6	21,3	14,0
711100	-0414	NA	04	6,0	1/4"	M14X1.5	8	21,3	14,0
711119	-0416	NA	04	6,0	1/4"	M16X1.5	10	23,3	17,0
711101	-0516	NA	05	8,0	5/16"	M16X1.5	10	23,3	17,0
711120	-0518	NA	05	8,0	5/16"	M18X1.5	12	24,3	19,0
711121	-0616	NA	06	10,0	3/8"	M16X1.5	10	23,3	17,0
711102	-0618	NA	06	10,0	3/8"	M18X1.5	12	24,3	19,0
711122	-0622	NA	06	10,0	3/8"	M22X1.5	15	25,3	22,0
711123	-0818	NA	08	13,0	1/2"	M18X1.5	12	25,1	19,0
711103	-0822	NA	08	13,0	1/2"	M22X1.5	15	26,1	22,0
711124	-0826	NA	08	13,0	1/2"	M26X1.5	18	27,1	27,0
711104	-1026	NA	10	16,0	5/8"	M26X1.5	18	27,1	27,0
711105	-1230	NA	12	19,0	3/4"	M30X2	22	31,6	32,0
711106	-1636	NA	16	25,0	1"	M36X2	28	34,4	36,0
711107	-2045	NA	20	32,0	1 1/4"	M45X2	35	40,0	46,0
711108	-2452	NA	24	38,0	1 1/2"	M52X2	42	42,0	55,0

A05 - DKOL


metrische Dichtkopfarmtur 24° Konus mit O-Ring -
leichte Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	CH1
	Dash/mm		Dash	mm	in		mm		
710010	-0312	SN	03	5,0	3/16"	M12X1.5	6	23,9	14,0
710009	-0412		04	6,0	1/4"	M12X1.5	6	20,3	14,0
710011	-0414		04	6,0	1/4"	M14X1.5	8	24,4	17,0
710012	-0416		04	6,0	1/4"	M16X1.5	10	25,4	19,0
A05-0418	-0418		04	6,0	1/4"	M18X1.5	12	25,4	22,0
710037	-0514	TN	05	8,0	5/16"	M14X1.5	8	47,7	17,0
710013	-0516	TN	05	8,0	5/16"	M16X1.5	10	23,2	19,0
710038	-0516		05	10,0	3/8"	M16X1.5	10	25,4	19,0
710014	-0618	SN	06	10,0	3/8"	M18X1.5	12	25,4	22,0
A05-0818	-0818	TN	08	13,0	1/2"	M18X1.5	12	24,0	22,0
710015	-0822	TN	08	13,0	1/2"	M22X1.5	15	25,3	27,0
A05-0826	-0826		08	13,0	1/2"	M26X1.5	18	29,2	32,0
710016	-1026	TN	10	16,0	5/8"	M26X1.5	18	25,0	32,0
710039	-1226		12	19,0	3/4"	M26X1.5	18	30,2	32,0
710017	-1230		12	19,0	3/4"	M30X2	22	31,7	36,0
A05-1236	-1236		12	19,0	3/4"	M36X2	28	32,8	41,0
710040	-1630	TN	16	25,0	1"	M30X2	22	44,6	36,0
710018	-1636	SN	16	25,0	1"	M36X2	28	33,6	41,0
A05-1645	-1645	SN	16	25,0	1"	M45X2	35	38,5	50,0
710019	-2045	SN	20	32,0	1 1/4"	M45X2	35	40,1	50,0
710020	-2452	SN	24	38,0	1 1/2"	M52X2	42	40,5	60,0

A25 - DKOL 45


45° metrische Dichtkopfarmatur 24° Konus mit O-Ring -
leichte Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	D-Maß	CH1
	Dash/mm		Dash	mm	in					
A25-0312	-0312	SN	03	5,0	3/16"	M12X1.5	6	44,9	19,0	14,0
710260	-0412	CR	04	6,0	1/4"	M12X1.5	6	45,2	15,5	14,0
710201	-0414	SN	04	6,0	1/4"	M14X1.5	8	43,0	17,5	17,0
710202	-0416	SN	04	6,0	1/4"	M16X1.5	10	42,0	20,0	19,0
A25-0514	-0514	SN	05	8,0	5/16"	M14X1.5	8	47,5	20,0	17,0
710203	-0516	SN	05	8,0	5/16"	M16X1.5	10	47,5	20,0	19,0
A25-0518	-0518	SN	05	8,0	5/16"	M18X1.5	12	47,0	22,0	22,0
A25-0616	-0616	TN	06	10,0	3/8"	M16X1.5	10	43,0	19,0	19,0
710204	-0618	SN	06	10,0	3/8"	M18X1.5	12	46,8	19,5	22,0
710205	-0822	SN	08	13,0	1/2"	M22X1.5	15	55,0	21,0	27,0
710206	-1026	SN	10	16,0	5/8"	M26X1.5	18	65,3	24,0	32,0
710207	-1230	SN	12	19,0	3/4"	M30X2	22	69,4	32,0	36,0
710208	-1636	SN	16	25,0	1"	M36X2	28	91,4	32,0	41,0
710209	-2045	SN	20	32,0	1 1/4"	M45X2	35	100,0	45,0	50,0
710210	-2452	SN	24	38,0	1 1/2"	M52X2	42	114,1	47,0	60,0

A35 - DKOL 90


90° metrische Dichtkopfarmatur 24° Konus mit O-Ring -
leichte Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	D-Maß	CH1
	Dash/mm		Dash	mm	in					
710300	-0312	SN	03	5,0	3/16"	M12X1.5	6	23,6	33,0	14,0
710301	-0414	SN	04	6,0	1/4"	M14X1.5	8	28,3	32,5	17,0
710302	-0416	SN	04	6,0	1/4"	M16X1.5	10	28,3	32,5	19,0
A35-0418	-0418	SN	04	6,0	1/4"	M18X1.5	12	28,8	35,0	22,0
710303	-0516	SN	05	8,0	5/16"	M16X1.5	10	33,7	38,0	19,0
710343	-0518	SN	05	8,0	5/16"	M18X1.5	12	32,2	40,0	22,0
710304	-0618	SN	06	10,0	3/8"	M18X1.5	12	32,8	39,0	22,0
A35-0622	-0622	SN	06	10,0	3/8"	M22X1.5	15	35,8	38,5	27,0
A35-0818	-0818	TN	08	13,0	1/2"	M18X1.5	12	42,0	44,0	22,0
710305	-0822	SN	08	13,0	1/2"	M22X1.5	15	39,8	40,5	27,0
A35-0826	-0826	SN	08	13,0	1/2"	M26X1.5	18	39,8	41,0	32,0
A35-1022	-1022	SN	10	16,0	5/8"	M22X1.5	15	51,4	47,0	27,0
710306	-1026	SN	10	16,0	5/8"	M26X1.5	18	51,4	48,0	32,0
A35-1030	-1030	SN	10	16,0	5/8"	M30X2	22	52,4	49,0	36,0
710307	-1230	SN	12	19,0	3/4"	M30X2	22	52,1	59,0	36,0
A35-1236	-1236	SN	12	19,0	3/4"	M36X2	28	60,0	63,0	41,0
710308	-1636	SN	16	25,0	1"	M36X2	28	75,0	68,0	41,0
A35-2036	-2036	TN	20	32,0	1 1/4"	M36X2	28	92,2	86,0	41,0
710309	-2045	SN	20	32,0	1 1/4"	M45X2	35	90,5	89,0	50,0
710310	-2452	SN	24	38,0	1 1/2"	M52X2	42	106,5	100,0	60,0

E1 - CES


metrisches Außengewinde 24° - schwere Reihe DIN 3853



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	CH
	Dash/mm		Dash	mm	in		mm	mm	mm
E1-0414	-0414	NA	04	6,0	1/4"	M14X1.5	6	24,3	17,0
711128	-0416	NA	04	6,0	1/4"	M16X1.5	8	24,3	17,0
711109	-0418	NA	04	6,0	1/4"	M18X1.5	10	25,3	19,0
711110	-0520	NA	05	8,0	5/16"	M20X1.5	12	25,3	22,0
E1-0618	-0618	NA	06	10,0	3/8"	M18X1.5	10	25,3	19,0
711130	-0620	NA	06	10,0	3/8"	M20X1.5	12	25,3	22,0
711111	-0622	NA	06	10,0	3/8"	M22X1.5	14	27,3	22,0
E1-0624	-0624	NA	06	10,0	3/8"	M24X1.5	16	28,1	24,0
711132	-0822	NA	08	13,0	1/2"	M22X1.5	14	28,1	22,0
711112	-0824	NA	08	13,0	1/2"	M24X1.5	16	29,1	24,0
711133	-0830	NA	08	13,0	1/2"	M30X2	20	33,1	32,0
711113	-1030	NA	10	16,0	5/8"	M30X2	20	33,1	32,0
711135	-1230	NA	12	19,0	3/4"	M30X2	20	33,6	32,0
711114	-1236	NA	12	19,0	3/4"	M36X2	25	37,6	36,0
E1-1636	-1636	NA	16	25,0	1"	M36X2	25	38,4	36,0
711115	-1642	NA	16	25,0	1"	M42X2	30	42,4	46,0
711116	-2052	NA	20	32,0	1 1/4"	M52X2	38	48,0	55,0

B5 - DKOS


metrische Dichtkopfarmatur 24° Konus mit O-Ring -
schwere Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	CH1
	Dash/mm		Dash	mm	in		mm	mm	mm
710559	-0316	SN	03	5,0	3/16"	M16X1.5	8	27,2	19,0
710645	-0414	SN	04	6,0	1/4"	M14X1.5	6	26,4	17,0
710501	-0416	SN	04	6,0	1/4"	M16X1.5	8	27,7	19,0
710500	-0418	SN	04	6,0	1/4"	M18X1.5	10	27,6	22,0
B5-0420	-0420	SN	04	6,0	1/4"	M20X1.5	12	27,6	24,0
710560	-0518	SN	05	8,0	5/16"	M18X1.5	10	27,6	22,0
710502	-0520	SN	05	8,0	5/16"	M20X1.5	12	27,6	24,0
B5-0616	-0616	TN	06	10,0	3/8"	M16X1.5	8	23,2	19,0
B5-0618	-0618	TN	06	10,0	3/8"	M18X1.5	10	22,3	22,0
710504	-0620	SN	06	10,0	3/8"	M20X1.5	12	27,6	24,0
710503	-0622	SN	06	10,0	3/8"	M22X1.5	14	31,1	27,0
710561	-0624	SN	06	10,0	3/8"	M24X1.5	16	30,9	30,0
B5-0820	-0820	TN	08	13,0	1/2"	M20X1.5	12	23,2	24,0
B5-0822	-0822	SN	08	13,0	1/2"	M22X1.5	14	31,9	27,0
710505	-0824	SN	08	13,0	1/2"	M24X1.5	16	31,7	30,0
B5-0830	-0830	SN	08	13,0	1/2"	M30X2	20	36,5	36,0
710562	-1024	TN	10	16,0	5/8"	M24X1.5	16	25,3	30,0
710506	-1030	SN	10	16,0	5/8"	M30X2	20	36,5	36,0
710563	-1230	SN	12	19,0	3/4"	M30X2	20	37,0	36,0
B5-1236	-1236	SN	12	19,0	3/4"	M36X2	25	40,2	41,0
710507	-1236	SN	12	19,0	3/4"	M36X2	25	40,2	46,0
B5-1630	-1630	TN	16	25,0	1"	M30X2	20	29,8	36,0
710564	-1636	SN	16	25,0	1"	M36X2	25	41,0	46,0
710508	-1642	SN	16	25,0	1"	M42X2	30	43,1	50,0
B5-2042	-2042	SN	20	32,0	1 1/4"	M42X2	30	44,7	50,0
710509	-2052	SN	20	32,0	1 1/4"	M52X2	38	48,1	60,0
B5-2452	-2452	SN	24	38,0	1 1/2"	M52X2	38	48,1	60,0

B7 - DKOS 45


45° metrische Dichtkopfarmatur 24° Konus mit O-Ring -
schwere Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	D-Maß	CH1
	Dash/mm		Dash	mm	in					
B7-0414	-0414	SN	04	6,0	1/4"	M14X1.5	6	47,0	20,0	17,0
710718	-0416	SN	04	6,0	1/4"	M16X1.5	8	48,6	16,0	19,0
710717	-0418	SN	04	6,0	1/4"	M18X1.5	10	43,5	19,0	22,0
710719	-0520	SN	05	8,0	5/16"	M20X1.5	12	48,1	21,0	24,0
B7-0616	-0616	SN	06	10,0	3/8"	M16X1.5	8	50,6	21,0	19,0
B7-0618	-0618	TN	06	10,0	3/8"	M18X1.5	10	47,0	21,0	22,0
710721	-0620	SN	06	10,0	3/8"	M20X1.5	12	50,6	20,0	24,0
710720	-0622	SN	06	10,0	3/8"	M22X1.5	14	52,9	21,0	27,0
710722	-0824	SN	08	13,0	1/2"	M24X1.5	16	55,8	21,5	30,0
710723	-1030	SN	10	16,0	5/8"	M30X2	20	66,3	30,0	36,0
B7-1230	-1230	SN	12	19,0	3/4"	M30X2	20	66,1	29,0	36,0
710724	-1236	SN	12	19,0	3/4"	M36X2	25	69,5	33,0	46,0
B7-1636	-1636	SN	16	25,0	1"	M36X2	25	89,7	36,0	46,0
710725	-1642	SN	16	25,0	1"	M42X2	30	110,3	40,5	50,0
710726	-2052	SN	20	32,0	1 1/4"	M52X2	38	109,0	45,0	60,0

B8 - DKOS 90


90° metrische Dichtkopfarmatur 24° Konus mit O-Ring -
schwere Reihe DIN 3865



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	OD1	C	D-Maß	CH1
	Dash/mm		Dash	mm	in					
B8-0414	-0414	SN	04	6,0	1/4"	M14X1.5	6	27,3	33,0	17,0
710809	-0416	SN	04	6,0	1/4"	M16X1.5	8	27,3	33,0	19,0
710810	-0418	SN	04	6,0	1/4"	M18X1.5	10	26,8	34,0	22,0
710812	-0520	SN	05	8,0	5/16"	M20X1.5	12	33,2	39,0	24,0
B8-0616	-0616	TN	06	10,0	3/8"	M16X1.5	8	33,0	38,0	19,0
710814	-0620	SN	06	10,0	3/8"	M20X1.5	12	34,3	38,5	24,0
710813	-0622	SN	06	10,0	3/8"	M22X1.5	14	34,3	40,5	27,0
B8-0820	-0820	TN	08	13,0	1/2"	M20X1.5	12	40,0	45,0	24,0
710815	-0824	SN	08	13,0	1/2"	M24X1.5	16	39,8	41,5	30,0
B8-0830	-0830	SN	08	13,0	1/2"	M30X2	20	45,8	50,0	36,0
710854	-1024	TN	10	16,0	5/8"	M24X1.5	16	52,0	56,0	30,0
710816	-1030	SN	10	16,0	5/8"	M30X2	20	47,9	55,0	36,0
710855	-1230	SN	12	19,0	3/4"	M30X2	20	50,6	58,0	36,0
710857	-1636	SN	16	25,0	1"	M36X2	25	77,6	73,5	46,0
710818	-1642	SN	16	25,0	1"	M42X2	30	75,6	79,0	50,0
710819	-2052	SN	20	32,0	1 1/4"	M52X2	38	94,0	92,0	60,0

A0 - DKL


metrische Dichtkopfarmatur - universal



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH1
	Dash		Dash	mm	in	Dash Größe			
710001	0414	SN	04	6,0	1/4"	14	M14X1.5	22,3	17,0
710002	0416	SN	04	6,0	1/4"	16	M16X1.5	21,8	19,0
A0-0418	0418	SN	04	6,0	1/4"	18	M18X1.5	22,3	22,0
710003	0516	SN	05	8,0	5/16"	16	M16X1.5	22,3	19,0
710004	0518	SN	05	8,0	5/16"	18	M18X1.5	22,3	22,0
710007	0822	SN	08	13,0	1/2"	22	M22X1.5	24,7	27,0
710008	1026	SN	10	16,0	5/8"	26	M26X1.5	25,1	32,0

A2 - DKL 45


metrische Dichtkopfarmatur 45° - universal



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
710212	-0414	SN	04	6,0	1/4"	14	M14X1.5	36,5	16,0	17,0
710218	-1026	SN	10	16,0	5/8"	26	M26X1.5	54,0	22,0	32,0

A3 - DKL 90


metrische Dichtkopfarmatur 90° - universal



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
710312	-0414	SN	04	6,0	1/4"	14	M14X1.5	29,9	28,5	17,0
710313	-0416	SN	04	6,0	1/4"	16	M16X1.5	28,3	33,0	19,0
710314	-0516	SN	05	8,0	5/16"	16	M16X1.5	34,2	36,0	19,0
A3-0518	-0518	SN	05	8,0	5/16"	18	M18X1.5	34,0	32,0	22,0
710316	-0622	SN	06	10,0	3/8"	22	M22X1.5	32,3	36,0	27,0
710317	-0822	SN	08	13,0	1/2"	22	M22X1.5	39,8	40,0	27,0
710318	-1026	SN	10	16,0	5/8"	26	M26X1.5	51,0	46,0	32,0

C0 - DKM


metrische Dichtkopfarmatur 60° Konus - DIN 3863



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH1
	Dash		Dash	mm	in	Dash Größe			
710021	1230	SN	12	19,0	3/4"	30	M30X1.5	21,6	36,0
710022	1638	SN	16	25,0	1"	38	M38X1.5	28,0	46,0

C3 - DKM 90


90° metrische Dichtkopfarmatur 60° Konus -
DIN 3863



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
710319	-1230	SN	12	19,0	3/4"	30	M30X1.5	54,6	47,0	36,0
710320	-1638	SN	16	25,0	1"	38	M38X1.5	72,6	60,0	46,0

K0 / L0 - RSL / RSS

metrischer Rohrstutzen - DIN 2353




Art. Nr.	Fuss-/Kopfteil	ID			OD1	C
	Dash/mm	Dash	mm	in	mm	mm
711011	-0306	03	5,0	3/16"	6	27,8
711027	-0308	03	5,0	3/16"	8	29,8
711013	-0406	04	6,0	1/4"	6	28,3
711012	-0408	04	6,0	1/4"	8	30,2
711028	-0410	04	6,0	1/4"	10	32,2
RS-0412	-0412	04	6,0	1/4"	12	31,2
RS-0508	-0508	05	8,0	5/16"	8	30,3
710014	-0510	05	8,0	5/16"	10	30,2
711030	-0512	05	8,0	5/16"	12	32,7
RS-0610	-0610	06	10,0	3/8"	10	30,3
711015	-0612	06	10,0	3/8"	12	29,3
711031	-0614	06	10,0	3/8"	14	35,8
RS-0615	-0615	06	10,0	3/8"	15	34,8
RS-0810	-0810	08	13,0	1/2"	10	32,5
RS-0812	-0812	08	13,0	1/2"	12	32,1
RS-0814	-0814	08	13,0	1/2"	14	36,1
711018	-0815	08	13,0	1/2"	15	32,1
711032	-0816	08	13,0	1/2"	16	37,1
RS-0818	-0818	08	13,0	1/2"	18	36,0
711021	-1018	10	16,0	5/8"	18	34,2
711034	-1020	10	16,0	5/8"	20	44,2
RS-1022	-1022	10	16,0	5/8"	22	37,2
711023	-1220	12	19,0	3/4"	20	45,5
RS-1222	-1222	12	19,0	3/4"	22	36,5
711035	-1225	12	19,0	3/4"	25	48,5
RS-1625	-1625	16	25,0	1"	25	51,4
711024	-1628	16	25,0	1"	28	40,4
711037	-1630	16	25,0	1"	30	54,4
RS-1638	-1638	16	25,0	1"	38	60,4
RS-2030	-2030	20	32,0	1 1/4"	30	56,0
711025	-2035	20	32,0	1 1/4"	35	48,0
711040	-2038	20	32,0	1 1/4"	38	62,0
RS-2438	-2438	24	38,0	1 1/2"	38	62,0
711026	-2442	24	38,0	1 1/2"	42	52,0

K4 / L4 - RSL 45 / RSS 45

45° metrischer Rohrstutzen

DIN 2353




Art. Nr.	Fuss-/Kopfteil	ID			OD1	C	D-Maß
	Dash/mm	Dash	mm	in	mm	mm	mm
RS45-0406	-0406	04	6,0	1/4"	6	50,1	28,0
RS45-0408	-0408	04	6,0	1/4"	8	43,2	23,0
RS45-0410	-0410	04	6,0	1/4"	10	48,0	24,0
RS45-0510	-0510	05	8,0	5/16"	10	48,4	24,0
RS45-0512	-0512	05	8,0	5/16"	12	55,4	28,0
RS45-0610	-0610	06	10,0	3/8"	10	48,5	24,0
RS45-0612	-0612	06	10,0	3/8"	12	55,5	28,0
RS45-0614	-0614	06	10,0	3/8"	14	53,1	28,0
RS45-0815	-0815	08	13,0	1/2"	15	62,6	28,5
RS45-0816	-0816	08	13,0	1/2"	16	63,3	32,0
RS45-1225	-1225	12	19,0	3/4"	25	83,0	44,0
RS45-1630	-1630	16	25,0	1"	30	137,0	46,1

K8 / L8 - RSL 90 / RSS 90

90° metrischer Rohrstutzen

DIN 2353



Art. Nr.	Fuss-/Kopfteil	ID			OD1	C	D-Maß
	Dash/mm	Dash	mm	in	mm	mm	mm
RS90-0306	-0306	03	5,0	3/16"	6	24,5	36,0
RS90-0406	-0406	04	6,0	1/4"	6	25,4	36,0
RS90-0408	-0408	04	6,0	1/4"	8	25,9	44,0
RS90-0410	-0410	04	6,0	1/4"	10	30,6	42,0
RS90-0412	-0412	04	6,0	1/4"	12	34,9	50,0
RS90-0510	-0510	05	8,0	5/16"	10	28,6	48,5
RS90-0512	-0512	05	8,0	5/16"	12	39,4	55,0
RS90-0610	-0610	06	10,0	3/8"	10	30,7	42,0
RS90-0612	-0612	06	10,0	3/8"	14	35,0	50,0
RS90-0614	-0614	06	10,0	3/8"	14	37,0	50,0
RS90-0812	-0812	08	13,0	1/2"	12	41,1	52,0
RS90-0815	-0815	08	13,0	1/2"	15	44,7	57,0
RS90-0816	-0816	08	13,0	1/2"	16	43,7	64,0
RS90-0818	-0818	08	13,0	1/2"	18	58,1	59,0
RS90-1018	-1018	10	16,0	5/8"	18	52,2	58,0
RS90-1020	-1020	10	16,0	5/8"	20	62,6	70,0
RS90-1022	-1022	10	16,0	5/8"	22	49,4	64,0
RS90-1220	-1220	12	19,0	3/4"	20	63,4	70,0
RS90-1222	-1222	12	19,0	3/4"	22	53,1	67,5
RS90-1225	-1225	12	19,0	3/4"	25	63,2	85,0
RS90-1625	-1625	16	25,0	1"	25	73,1	98,5
RS90-1628	-1628	16	25,0	1"	28	73,1	89,5
RS90-1630	-1630	16	25,0	1"	30	73,1	102,5
RS90-2035	-2035	20	32,0	1 1/4"	35	89,0	106,5