


DK SAE/JIC


SAE beweglicher Dichtkopf 45°



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
SAEDK-0606	-0606	CR	06	10,0	3/8"	06	5/8-18	23,3	19,0	22,0
SAEDK-1212	-1212	CR	12	19,0	3/4"	12	1 1/16-14	28,6	27,0	32,0

AG SAE/JIC


SAE Außengewinde - einteilig mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
SAEAG-0404	-0404	NA	04	6,0	1/4"	04	7/16-20	20,3	14,0
SAEAG-0405	-0405	NA	04	6,0	1/4"	05	1/2-20	21,3	16,0
SAEAG-0406	-0406	NA	04	6,0	1/4"	06	9/16-18	22,3	17,0
SAEAG-0606	-0606	NA	06	10,0	3/8"	06	9/16-18	23,3	19,0
SAEAG-0608	-0608	NA	06	10,0	3/8"	08	3/4-16	24,3	22,0
SAEAG-0610	-0610	NA	06	10,0	3/8"	10	7/8-14	26,8	27,0
SAEAG-0808	-0808	NA	08	13,0	1/2"	08	3/4-16	25,1	22,0
SAEAG-0810	-0810	NA	08	13,0	1/2"	10	7/8-14	27,6	27,0
SAEAG-0812	-0812	NA	08	13,0	1/2"	12	1 1/16-12	32,1	32,0
SAEAG-1010	-1010	NA	10	16,0	5/8"	10	7/8-14	27,6	24,0
SAEAG-1212	-1212	NA	12	19,0	3/4"	12	1 1/16-12	32,6	32,0
SAEAG-1616	-1616	NA	16	25,0	1"	16	1 5/16-12	35,4	38,0

AG SAE/JIC Drehgelenk


SAE bewegliches Außengewinde mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
SAEAGDG-0606	-0606	CR	06	10,0	3/8"	06	9/16-18	40,5	22,0
SAEAGDG-0608	-0608	CR	06	10,0	3/8"	08	3/4-16	22,0	22,0
SAEAGDG-0808	-0808	CR	08	13,0	1/2"	08	3/4-16	23,0	25,0
SAEAGDG-0810	-0810	CR	08	13,0	1/2"	10	7/8-14	23,0	25,0
SAEAGDG-1212	-1212	CR	12	19,0	3/4"	12	1 1/16-12	49,6	32,0

AG SAE/JIC Drehgelenk 90° Kompakt


Kompakt 90° SAE bewegliches Außengewinde mit O-Ring



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
SAEAGDG90-0405	-0405	CR	04	6,0	1/4"	05	1/2-20	17,0	34,0	17,0
SAEAGDG90-0608	-0608	CR	06	10,0	3/8"	08	3/4-16	22,0	44,0	25,0
SAEAGDG90-0808	-0808	CR	08	13,0	1/2"	08	3/4-16	23,0	47,0	25,0
SAEAGDG90-0810	-0810	CR	08	13,0	1/2"	10	7/8-14	23,0	49,0	25,0
SAEAGDG90-1212	-1212	CR	12	19,0	3/4"	12	1 1/16-12	27,0	61,0	32,0
SAEAGDG90-1616	-1616	CR	16	25,0	1"	16	1 5/16-12	34,4	67,5	41,0

J9 - AGJ


JIC Außengewinde 37° Konus



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH
	Dash		Dash	mm	in	Dash Größe		mm	mm
J9-0304	-0304	NA	03	5,0	3/16"	04	7/16-20	23,8	12,0
711902	-0404	NA	04	6,0	1/4"	04	7/16-20	25,3	12,0
711900	-0405	NA	04	6,0	1/4"	05	1/2-20	25,3	14,0
711901	-0406	NA	04	6,0	1/4"	06	9/16-18	26,3	17,0
711904	-0505	NA	05	8,0	5/16"	05	1/2-20	25,3	14,0
711903	-0506	NA	05	8,0	5/16"	06	9/16-18	26,3	17,0
J9-0508	-0508	NA	05	8,0	5/16"	08	3/4-16	29,8	19,0
711907	-0606	NA	06	10,0	3/8"	06	9/16-18	26,3	17,0
711905	-0608	NA	06	10,0	3/8"	08	3/4-16	29,8	19,0
711906	-0610	NA	06	10,0	3/8"	10	7/8-14	33,8	24,0
711910	-0808	NA	08	13,0	1/2"	08	3/4-16	30,6	19,0
711908	-0810	NA	08	13,0	1/2"	10	7/8-14	34,6	24,0
711909	-0812	NA	08	13,0	1/2"	12	1 1/16-12	37,1	27,0
711912	-1010	NA	10	16,0	5/8"	10	7/8-14	34,6	24,0
711911	-1012	NA	10	16,0	5/8"	12	1 1/16-12	37,1	27,0
711915	-1212	NA	12	19,0	3/4"	12	1 1/16-12	37,6	27,0
J9-1214	-1214	NA	12	19,0	3/4"	14	1 3/16-12	40,1	32,0
711914	-1216	NA	12	19,0	3/4"	16	1 5/16-12	42,6	36,0
J9-1612	-1612	NA	16	25,0	1"	12	1 1/16-12	40,4	32,0
711916	-1616	NA	16	25,0	1"	16	1 5/16-12	43,4	36,0
J9-1620	-1620	NA	16	25,0	1"	20	1 5/8-12	46,9	46,0
711919	-2020	NA	20	32,0	1 1/4"	20	1 5/8-12	48,5	46,0
J9-2024	-2024	NA	20	32,0	1 1/4"	24	1 7/8-12	52,5	50,0
J9-2424	-2424	NA	24	38,0	1 1/2"	24	1 7/8-12	52,5	50,0
J9-3232	-3232	NA	32	51,0	2"	32	2 1/2-12	62,0	65,0

Q5 - DKJ


JIC Dichtkopf 37° Dichtkegel



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm
Q5-0304	-0304	CR	03	5,0	3/16"	04	7/16-20	14,3	16,0
710541	-0404	CR	04	6,0	1/4"	04	7/16-20	14,6	16,0
710539	-0405	CR	04	6,0	1/4"	05	1/2-20	15,3	17,0
710540	-0406	CR	04	6,0	1/4"	06	9/16-18	15,3	19,0
710543	-0505	CR	05	8,0	5/16"	05	1/2-20	15,3	17,0
710542	-0506	CR	05	8,0	5/16"	06	9/16-18	15,3	19,0
710546	-0606	CR	06	10,0	3/8"	06	9/16-18	15,3	19,0
710544	-0608	CR	06	10,0	3/8"	08	3/4-16	17,8	25,0
Q5-0610	-0610	CR	06	10,0	3/8"	10	7/8-14	20,3	27,0
710549	-0808	CR	08	13,0	1/2"	08	3/4-16	18,6	25,0
710547	-0810	CR	08	13,0	1/2"	10	7/8-14	19,6	27,0
710548	-0812	CR	08	13,0	1/2"	12	1 1/16-12	22,1	32,0
710551	-1010	CR	10	16,0	5/8"	10	7/8-14	19,6	27,0
710550	-1012	CR	10	16,0	5/8"	12	1 1/16-12	20,1	32,0
Q5-1210	-1210	CR	12	19,0	3/4"	10	7/8-14	20,1	27,0
710555	-1212	CR	12	19,0	3/4"	12	1 1/16-12	20,6	32,0
Q5-1214	-1214	CR	12	19,0	3/4"	14	1 3/16-12	19,9	36,0
710553	-1216	CR	12	19,0	3/4"	16	1 5/16-12	22,1	38,0
Q5-1612	-1612	CR	16	25,0	1"	12	1 1/16-12	22,4	32,0
710556	-1616	CR	16	25,0	1"	16	1 5/16-12	23,9	38,0
Q5-1620	-1620	TN	16	25,0	1"	20	1 5/8-12	26,5	50,0
Q5-2016	-2016	CR	20	32,0	1 1/4"	16	1 5/16-12	26,5	38,0
Q5-2020	-2020	TN	20	32,0	1 1/4"	20	1 5/8-12	28,1	50,0
Q5-2024	-2024	TN	20	32,0	1 1/4"	24	1 7/8-12	30,4	55,0
Q5-2424	-2424	TN	24	38,0	1 1/2"	24	1 7/8-12	29,4	55,0

Q8 - DKJ 45-M


45° JIC Dichtkopf 37° Dichtkegel - Medium



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
Q7-0304	-0304	CR	03	5,0	3/16"	04	7/16-20	37,1	10,0	16,0
710736	-0404	CR	04	6,0	1/4"	04	7/16-20	36,6	10,0	16,0
710734	-0405	CR	04	6,0	1/4"	05	1/2-20	37,2	12,0	17,0
710735	-0406	CR	04	6,0	1/4"	06	9/16-18	39,4	11,0	19,0
Q7-0505	-0505	CR	05	8,0	5/16"	05	1/2-20	39,8	12,0	17,0
710737	-0506	CR	05	8,0	5/16"	06	9/16-18	42,8	12,0	19,0
710740	-0606	CR	06	10,0	3/8"	06	9/16-18	46,3	11,0	19,0
710738	-0608	CR	06	10,0	3/8"	08	3/4-16	47,2	15,0	25,0
710741	-0810	CR	08	13,0	1/2"	10	7/8-14	50,7	16,0	27,0
710742	-0812	CR	08	13,0	1/2"	12	1 1/16-12	57,0	21,0	32,0
710745	-1010	CR	10	16,0	5/8"	10	7/8-14	62,2	19,0	27,0
710744	-1012	CR	10	16,0	5/8"	12	1 1/16-12	68,6	21,0	32,0
710748	-1212	CR	12	19,0	3/4"	12	1 1/16-12	67,5	21,0	32,0
Q7-1214	-1214	CR	12	19,0	3/4"	14	1 3/16-12	67,6	23,0	36,0
710747	-1216	CR	12	19,0	3/4"	16	1 5/16-12	71,4	26,0	38,0
710748	-1616	CR	16	25,0	1"	16	1 5/16-12	79,4	24,0	38,0
Q7-1620	-1620	TN	16	25,0	1"	20	1 5/8-12	83,8	37,0	50,0
Q7-2020	-2020	TN	20	32,0	1 1/4"	20	1 5/8-12	97,1	37,0	50,0
Q7-2424	-2424	TN	24	38,0	1 1/2"	24	1 7/8-12	112,7	43,0	55,0
Q7-3232	-3232	TN	32	51,0	2"	32	2 1/2-12	159,9	67,0	70,0

Q8 - DKJ 90-S


90° JIC Dichtkopf 37° Dichtkegel - Kurz



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe				
Q8S-0304	-0304	CR	03	5,0	3/16"	04	7/16-20	26,7	21,0	16,0
Q8S-0404	-0404	CR	04	6,0	1/4"	04	7/16-20	27,0	21,0	16,0
Q8S-0405	-0405	CR	04	6,0	1/4"	05	1/2-20	26,5	23,5	17,0
Q8S-0406	-0406	CR	04	6,0	1/4"	06	9/16-18	31,0	23,0	19,0
Q8S-0506	-0506	CR	05	8,0	5/16"	06	9/16-18	42,7	23,0	19,0
Q8S-0605	-0605	CR	06	10,0	3/8"	05	1/2-20	33,3	25,0	17,0
Q8S-0606	-0606	CR	06	10,0	3/8"	06	9/16-18	42,3	25,0	19,0
Q8S-0608	-0608	CR	06	10,0	3/8"	08	3/4-16	48,8	29,0	25,0
Q8S-0810	-0810	CR	08	13,0	1/2"	10	7/8-14	45,8	32,0	27,0
Q8S-0812	-0812	CR	08	13,0	1/2"	12	1 1/16-12	37,3	46,0	32,0
Q8S-1010	-1010	CR	10	16,0	5/8"	10	7/8-14	36,5	32,0	27,0
Q8S-1012	-1012	CR	10	16,0	5/8"	12	1 1/16-12	47,9	48,0	32,0
Q8S-1212	-1212	CR	12	19,0	3/4"	12	1 1/16-12	58,2	46,0	32,0
Q8S-1214	-1214	CR	12	19,0	3/4"	14	1 3/16-12	49,6	52,5	36,0
Q8S-1216	-1216	CR	12	19,0	3/4"	16	1 5/16-12	53,6	53,0	38,0
Q8S-1616	-1616	CR	16	25,0	1"	16	1 5/16-12	74,0	56,0	38,0

Q8 - DKJ 90-M


90° JIC Dichtkopf 37° Dichtkegel - Medium



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
Q8M-0304	-0304	CR	03	5,0	3/16"	04	7/16-20	33,5	32,0	16,0
Q8M-0404	-0404	CR	04	6,0	1/4"	04	7/16-20	34,2	32,0	16,0
Q8M-0405	-0405	CR	04	6,0	1/4"	05	1/2-20	25,7	30,0	17,0
Q8M-0406	-0406	CR	04	6,0	1/4"	06	9/16-18	28,5	38,0	19,0
Q8M-0505	-0505	CR	05	8,0	5/16"	05	1/2-20	34,2	32,0	17,0
Q8M-0506	-0506	CR	05	8,0	5/16"	06	9/16-18	33,2	35,0	19,0
Q8M-0606	-0606	CR	06	10,0	3/8"	06	9/16-18	31,3	35,0	19,0
Q8M-0610	-0610	CR	06	10,0	3/8"	10	7/8-14	44,6	47,0	27,0
Q8M-0808	-0808	CR	08	13,0	1/2"	08	3/4-16	37,2	40,0	25,0
Q8M-0810	-0810	CR	08	13,0	1/2"	10	7/8-14	43,3	47,0	27,0
Q8M-1010	-1010	CR	10	16,0	5/8"	10	7/8-14	49,4	48,0	27,0
Q8M-1212	-1212	CR	12	19,0	3/4"	12	1 1/16-12	52,4	54,0	32,0
Q8M-1016	-1216	CR	12	19,0	3/4"	16	1 5/16-12	52,6	72,0	38,0
Q8M-1616	-1616	CR	16	25,0	1"	16	1 5/16-12	72,6	71,5	38,0
Q8M-1620	-1620	TN	16	25,0	1"	20	1 5/8-12	72,6	78,0	50,0
Q8M-2020	-2020	TN	20	32,0	1 1/4"	20	1 5/8-12	82,4	78,0	50,0
Q8M-2024	-2024	TN	20	32,0	1 1/4"	24	1 7/8-12	87,3	82,0	55,0
Q8M-2424	-2424	TN	24	38,0	1 1/2"	24	1 7/8-12	95,3	92,0	55,0
Q8M-3232	-3232	TN	32	51,0	2"	32	2 1/2-12	129,5	140,0	70,0

Q8 - DKJ 90-L

90° JIC Dichtkopf 37° Dichtkegel - Lang



Art. Nr.	Fuss-/ Kopfteil	Überwurfmutter	ID			F1	F1	C	D-Maß	CH1
	Dash		Dash	mm	in	Dash Größe		mm	mm	mm
Q8L-0404	0404	CR	04	6,0	1/4"	04	7/16-20	30,8	46,0	16,0
Q8L-0405	0405	CR	04	6,0	1/4"	05	1/2-20	31,3	45,0	17,0
Q8L-0808	0808	CR	08	13,0	1/2"	08	3/4-16	49,9	64,0	25,0
Q8L-0810	0810	CR	08	13,0	1/2"	10	7/8-14	37,3	65,0	27,0
Q8L-1010	1010	CR	10	16,0	5/8"	10	7/8-14	49,9	65,0	27,0
Q8L-1212	1212	CR	12	19,0	3/4"	12	1 1/16-12	54,1	95,0	32,0
Q8L-1616	1616	CR	16	25,0	1"	16	1 5/16-12	78,6	114,0	38,0